# IMPACT D Series

IMPACT D 10 PHONE II IMPACT D 30 PHONE

IMPACT D 10 USB ML II IMPACT D 30 USB ML

### Wireless Freedom Starts Here

With premium audio performance and powerful wireless reach, your journey towards wireless freedom starts here. Keep desks tidy with a streamlined design ideal for hotdesking when agents need plug and play functionality at every workstation. Prioritize the customer experience with EPOS Voice™ technology that zooms in on the agent's voice. The resulting crisp, clear calls, help them solve issues quickly and calmly throughout their working day.

In today's digital world, companies are more exposed than ever to hostile online threats. When it comes to the security of your data, protected pairing and DECT security certification guarantees no third parties are listening in on your call. With its double-sided wearing style for 100% focus and single connectivity to PC, the IMPACT D Series makes high quality wireless DECT headsets accessible to all

See more at eposaudio.com/impact-d-series



# Key benefits & features

### Ensure premium audio for clear calls

With EPOS Voice™ technology and noise-cancelling microphone for natural, clear conversations

### Move freely with powerful wireless reach

Up to 55 m/180 ft in typical offices, up to 180 m/590 ft line of sight, and up to 12 hours talk time

### Connect simply to one device

Plug-and-play with single-connectivity to either desk phone or PC/softphone

### Choose your wearing style

With comfortable headsets to suit your personal preference; headband, ear hook or optional neckband

### Easy magnetic docking and charging

Dock the headset to the magnetic charge interface and be sure it's charged and ready to go for your next call







# IMPACT D Series

# Product data

| General                    |   |  |  |
|----------------------------|---|--|--|
| Product description        | IMPACT D 10 USB ML II: Wireless DECT headset, single-sided with base station. Single connectivity to PC/Softphone. UC optimized.                |  |  |
|                            | IMPACT D 10 PHONE II: Wireless DECT headset, single-sided with base station. Single connectivity to desk phone.                                 |  |  |
|                            | IMPACT D 30 USB ML: Wireless DECT headset, double-sided with base station. Single connectivity to PC/Softphone. UC optimized.                   |  |  |
|                            | <b>IMPACT D 30 PHONE:</b> Wireless DECT headset, double-sided with base station. Single connectivity to desk phone.                             |  |  |
| Wearing style              | Headband - single-sided or double-sided and ear hook.<br>Neckband available as accessory*   |  |  |
| Headset weight             | <b>D 10 HS II:</b> With ear hook: 22 g / 0.78 oz / 0.049 lbs With headband: 50 g / 1.76 oz / 0.11 lbs <b>D 30 HS:</b> 85 g / 3.00 oz / 0.19 lbs |  |  |
| Ear pad size               | ø 50 mm / 1.96 in   |  |  |
| Personalization            | Yes, with nameplate on headset  |  |  |
| Warranty                   | 2 years   |  |  |
| Audio                      |   |  |  |
| EPOS Voice™ technology     | For a clear and natural listening experience  |  |  |
| Microphone                 | IMPACT D 10 II: Noise-cancelling microphone IMPACT D 30: Ultra Noise-cancelling microphone  |  |  |
| Microphone frequency range | 150 Hz - 6.8 kHz (Wideband)<br>300 Hz - 3.5 kHz (Narrowband)  |  |  |
| Mute microphone            | Yes   |  |  |

| Speaker type                         | High-quality neodymium magnet speaker for outstanding audio quality                                     |  |  |
|--------------------------------------|---|--|--|
| Speaker frequency response           | 150 Hz - 6.8 kHz (Wideband)<br>300 Hz - 3.5 kHz (Narrowband)  |  |  |
| Technical                            |   |  |  |
| DECT                                 | 1.880 to 1.900 MHz (EU, UK, AUS)<br>1.920 to 1.930 MHz (US) - DECT 6.0                                  |  |  |
| GAP compatible                       | Yes (headset)   |  |  |
| Headset                              | Connects to base station/base set   |  |  |
| Base station                         | IMPACT D 10 USB ML II/D 30 UB ML: Connects to UC IMPACT D 10 PHONE II/D 30 PHONE: Connects to deskphone |  |  |
| Headset auto link to base            | Yes, can be activated on the base station   |  |  |
| Temperature range                    | Operational: +5 °C to 45 °C / +41 °F to +113 °F<br>Storage: -20 °C to 70 °C / -4 °F to +158 °F          |  |  |
| Battery (Lithium Polymer)            | Exchangeable for service (see User Manual)  |  |  |
| Range                                | Line of sight: 180 m / 590 ft<br>Typical office building: 55 m / 180 ft                                 |  |  |
| Automatic power adjustment           | Yes (distance between headset and base)   |  |  |
| Talk time                            | Up to 8 hours (Wideband Mode)<br>Up to 12 hours (Narrowband Mode)                                       |  |  |
| Stand by time                        | Up to 100 hours   |  |  |
| Auto - headset OFF when out of range | Yes, after 30 minutes   |  |  |
| Charge time                          | 0 - 50%: 20 minutes<br>0 - 100%: 1 hour   |  |  |
|                                      |   |  |  |

EPOS | SENNHEISER

# IMPACT D Series

## Product data

| Hearing protection          |   |  |
|-----------------------------|---|--|
| EPOS ActiveGard® technology | Protects users against acoustic injury caused by sudden sound burst on the line   |  |
| EU Noise at Work Limiter**  | Enhanced audio protection preventing listening fatigue, average 85 dB over a workday. Activated by DIP switch, EPOS Connect and EPOS manager software                           |  |
| Content of delivery         |   |  |
| What's in the box           | D 10 USB ML II  Headset, base station, USB cable, headband (detachable), bendable ear hook (mounted on headset), printed quick guide, printed safety guide                      |  |
|                             | D 10 PHONE II  Headset, base station, power supply, audio phone cable, headband (detachable), bendable ear hook (mounted on headset), printed quick guide, printed safety guide |  |
|                             | D 30 USB ML Headset, base station, USB cable, headband (detachable), printed quick guide, printed safety guide  |  |
|                             | D 30 PHONE  Headset, base station, power supply, audio phone cable, headband (detachable), printed quick guide, printed safety guide  |  |

| Software EPOS devices can be managed with following Sof | ftware solutions:   |
|---|---|
| EPOS Connect  | Conduct firmware updates and configure headsets for personal audio preferences. EPOS Connect works for Windows, Mac and VDI/Thin client environments: eposaudio.com/software-epos-connect |
| EPOS Manager  | Manage, update and configure EPOS audio devices from any location - For both cloud and on-premises solutions: eposaudio.com/software-epos-manager   |
| Software compatibility                                  |   |
| UC & CC Compatible                                      | Use our Compatibility tool to find the choices available to you and to learn about the different headset features: eposaudio.com/compatibility  |

For additional information, please visit: eposaudio.com/software

<sup>\*</sup> Neckband available as accessory (Art. No. 1000716)

<sup>\*\*</sup> In compliance with EU Noise at Work legislation (Directive 2003/10/EC), that sets limits for two types of noise in the workplace: Acoustic burst and Sustained noise.

EPOS | SENNHEISER

# IMPACT D Series

## Additional benefits & features

### Enjoy one-touch call management

To answer/end\* calls, mute microphone and control volume

### Stay mobile with fast charging

50% battery charges in just 20 minutes

### Get convenient phone conferencing

Up to four headsets per call and simple hot desking

#### See talk time available

Shown via status indicators on the base station

### Keep your desk tidy

With built-in cable management

#### Benefit from secure base station

With solid metal plate for stability

### Protect your hearing

From acoustic shock with EPOS ActiveGard® technology

### Complementary software

Simple Device management with EPOS software solutions

### Product overview

| Connects to  | Product   | Order name           | Details  | EAN / UPC code                                |
|--------------|---|----------------------|--|---|
| Deskphone    | IMPACT D 10 Phone II - EU<br>Art. no. 1000994   | D 10 PHONE II - EU   | Single Sided Wireless DECT<br>System               | EAN: 57 14708 00796 8<br>UPC: 8 40064 40796 0 |
|              | IMPACT D 10 Phone II - UK<br>Art. no. 1000995   | D 10 PHONE II - UK   | Single Sided Wireless DECT<br>System               | EAN: 57 14708 00797 5<br>UPC: 8 40064 40797 7 |
|              | IMPACT D 10 Phone II - US<br>Art. no. 1000996   | D 10 PHONE II - US   | Single Sided Wireless DECT<br>System               | EAN: 57 14708 00798 2<br>UPC: 8 40064 40798 4 |
|              | IMPACT D 10 Phone II - AUS<br>Art. no. 1000997  | D 10 PHONE II - AUS  | Single Sided Wireless DECT<br>System               | EAN: 57 14708 00799 9<br>UPC: 8 40064 40799 1 |
| PC/Softphone | IMPACT D 10 USB ML II - EU<br>Art. no. 1000998  | D 10 USB ML II - EU  | Single Sided Wireless DECT<br>System. UC optimized | EAN: 57 14708 00800 2<br>UPC: 8 40064 40800 4 |
|              | IMPACT D 10 USB ML II - US<br>Art. no. 1000999  | D 10 USB ML II - US  | Single Sided Wireless DECT<br>System. UC optimized | EAN: 57 14708 00801 9<br>UPC: 8 40064 40801 1 |
|              | IMPACT D 10 USB ML II - AUS<br>Art. no. 1001000 | D 10 USB ML II - AUS | Single Sided Wireless DECT<br>System. UC optimized | EAN: 57 14708 00802 6<br>UPC: 8 40064 40802 8 |
| Deskphone    | IMPACT D 30 Phone - EU<br>Art. no. 1000987      | D 30 PHONE - EU      | Double Sided Wireless<br>DECT System               | EAN: 57 14708 00789 0<br>UPC: 8 40064 40789 2 |
|              | IMPACT D 30 Phone - UK<br>Art. no. 1000988      | D 30 PHONE - UK      | Double Sided Wireless<br>DECT System               | EAN: 57 14708 00790 6<br>UPC: 8 40064 40790 8 |
|              | IMPACT D 30 Phone - US<br>Art. no. 1000989      | D 30 PHONE - US      | Double Sided Wireless<br>DECT System               | EAN: 57 14708 00791 3<br>UPC: 8 40064 40791 5 |
|              | IMPACT D 30 Phone - AUS<br>Art. no. 1000990     | D 30 PHONE - AUS     | Double Sided Wireless<br>DECT System               | EAN: 57 14708 00792 0<br>UPC: 8 40064 40792 2 |
| PC/Softphone | IMPACT D 30 USB ML - EU<br>Art. no. 1000991     | D 30 USB ML - EU     | Double Sided Wireless<br>DECT System. UC optimized | EAN: 57 14708 00793 7<br>UPC: 8 40064 40793 9 |
|              | IMPACT D 30 USB ML - US<br>Art. no. 1000992     | D 30 USB ML - US     | Double Sided Wireless<br>DECT System. UC optimized | EAN: 57 14708 00794 4<br>UPC: 8 40064 40794 6 |
|              | IMPACT D 30 USB ML - AUS<br>Art. no. 1000993    | D 30 USB ML - AUS    | Double Sided Wireless<br>DECT System. UC optimized | EAN: 57 14708 00795 1<br>UPC: 8 40064 40795 3 |

<sup>\*</sup> Answer/end call requires EHS cable for desk phone and EPOS software for certain softphones